EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	501	(219/130.21).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 13:23
L8	459	(219/130.01).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 13:23
L9	1137	(219/110).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 13:24
S2	167	((JOHN) near2 (LAMBERT)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/10 18:52
S3	66	((JOHN) near2 (LAMBERT)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/03/10 18:53
S4	1	((ERIC) near2 (JARRETT)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/10 18:53
S 5	2	((ERIC) near2 (JARRETT)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/03/10 18:53
S 7	50	(US-4889969-\$ or US-5756967-\$ or US-4301355-\$ or US-4314136-\$ or US-4449031-\$ or US-4943701-\$ or US-4954691-\$ or US-6043449-\$ or US-6043449-\$ or US-6072146-\$ or US-6087626-\$ or US-3575573-\$ or US-3657724-\$ or US-4254323-\$ or US-4380695-\$ or US-4758707-\$ or US-4794259-\$ or	USPAT	OR	OFF	2009/03/11 10:53

S16	1894	method with welding with (no spatter and (small or some) spatter)	USPAT	OR	OFF	2009/03/11 12:40
S17	78	S16 and adjust\$3 with voltage	USPAT	OR	OFF	2009/03/11 12:42
S18	3	method with weld \$3 and ((no spatter or no-spatter) and (small or some) spatter)	USPAT	ADJ	ON	2009/03/11 12:44
S23	118	(219/130.31).CCLS.	USPAT; USOCR	OR	OFF	2009/03/11 14:58
S24	82	S15 and spatter	USPAT	OR	OFF	2009/03/11 15:14
S26	0	S23 and ((no spatter or no- spatter) and (small or some) spatter) and adjust\$3 with voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:00
S27	0	S23 and ((no spatter or no- spatter) and (small or some or little) spatter) and adjust \$3 with voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:01
S28	1	S15 and ((no spatter or no- spatter) and (small or some or little) spatter) and adjust \$3 with voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:01
S29	1	S20 and spatter and adjust\$3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:10
S30	2	S7 and spatter and adjust\$3 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:17

S 31	2325	weld\$3 and (first (mode or phrase)) and (second (mode or phrase))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 09:54
S40	9893	spatter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:12
S41	4510	spatter	EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:12
S42	437601	weld\$3	EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:12
S43	1216441	weld\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:13
S44	2170	S43 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:13
S45	2670243	voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:14
S46	263	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:14
S47	4585	S43 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:33
S48	1166	S47 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:33
S49	26997	adjust\$3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:54
S50	29	S47 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 13:54
S55	33306	zero voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/03/12 19:01

S73	76	weld\$3 voltage with (zero or substantial zero)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:14
S74	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:27
S75	2	weld\$3 with (monitor\$3 or detect or sensor) voltage with (zero or substantial zero)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:05
S76	600	(219/130.51).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 10:09
S78	11	S76 and zero	EPO; JPO; DERWENT	ADJ	ON	2009/03/13 10:10

3/13/2009 1:26:55 PM

C:\ Documents and Settings\ hnguyen45\ My Documents\ EAST\ Workspaces\ 10542391.wsp